




BAROMETER ANTIBIOTIC USE

APRIL 2017 – MARCH 2019


BAROMETER SANITEL-MED: TOTAL AB USE IN PIG, POULTRY AND VEAL

Evolution of tons AB used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2018 (BelVet-SAC)




BAROMETER SANITEL-MED: TOTAL AB USE IN PIG, POULTRY AND VEAL (2)

Evolution of tons AB used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF RED MOLECULES

Evolution of kgs fluoroquinolones used per ANIMAL TYPE in Sanitel-Med




Evolution of total kg fluoroquinolones in Sanitel-Med with reference to sales data of 2018 (BelVet-SAC)




BAROMETER SANITEL-MED: USE OF RED MOLECULES (2)

Evolution of kgs cephalosporines 3G/4G used per ANIMAL TYPE in Sanitel-Med




Evolution of total kg cephalosporines 3G/4G in Sanitel-Med with reference to sales data of 2018 (BelVet-SAC)




BAROMETER SANITEL-MED: USE OF RED MOLECULES (3)

Evolution of kgs fluoroquinolones used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF COLISTIN

Evolution of kgs colistin used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2018 (BelVet-SAC)




BAROMETER SANITEL-MED: USE OF COLISTIN (2)

Evolution of kgs colistin used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med



BAROMETER SANITEL-MED: USE OF ZINC OXIDE IN PIG

Evolution of kgs ZnO used and percentage of PIG farms where it was used in Sanitel-Med with reference to sales data of 2018 (BelVet-SAC)





agence fédérale des médicaments et des produits de santé
federalaal agentschap voor geneesmiddelen en gezondheidsproducten



CONTACT INFORMATION

SANITELMED@FAGG.BE