




BAROMETER ANTIBIOTIC USE

OCT 2021 – SEPT 2023


BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (1)

Evolution of ton AB used per ANIMAL TYPE in Sanitel-Med with reference to total sales data of 2022




BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (2)

Evolution of ton AB used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med





BAROMETER SANITEL-MED: USE OF RED MOLECULES – (FLUORO)QUINOLONES

Evolution of kg (fluoro)quinolones used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF RED MOLECULES – CEPHALOSPORINES 3G/4G

Evolution of kg cephalosporines 3G/4G used and percentage of PIG farms where it was used in Sanitel-Med




BAROMETER SANITEL-MED: USE OF COLISTIN

Evolution of kg colistin used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med



Evolution of total kg colistin used in Sanitel-Med with reference to sales data of 2022




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (1)

PIGS – Suckling piglets

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (2)

PIGS – Weaned piglets

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (3)

PIGS – Fattening pigs

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (4)

PIGS – Sows

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (5)

POULTRY – Broiler chickens

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (6)

POULTRY – Laying hens

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100




BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (7)

VEAL – Veal calves

zero users excluded

Evolution of Avg BD100 percentiles and their relation to the sector-specific threshold values

Avg BD100



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (1)



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (2)



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (3)

All animal categories

Zero users excluded

Percentage of farms classified with each benchmark colour per ANIMAL CATEGORY

% Farms



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (4)

All animal types

Zero users excluded

Percentage of farms classified with each benchmark colour per ANIMAL TYPE


% Farms



BAROMETER SANITEL-MED: TONS USED BY FARMS IN EACH OF THE 3 COLOUR ZONES (1)

All animal types


Total ton AB used per ANIMAL TYPE and BM_COLOUR in Sanitel-Med



BAROMETER SANITEL-MED: TONS USED BY FARMS IN EACH OF THE 3 COLOUR ZONES (2)

All animal categories

Total ton AB used per ANIMAL CATEGORY and BENCHMARK COLOUR in Sanitel-Med





CONTACT INFORMATION

SANITELMED@FAGG.BE